## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.




62,37

JUL 8 1925

FOREIGN PLANT QUARANTINES

HARDY PERENNIALS



# HAMMONTON HARDY PLANT NURSERY

HAMMONTON

**NEW JERSEY** 

**SPRING 1925** 

AND LE 17 4520

#### INTRODUCTION

The increasing popularity of Hardy Herbaceous Plants shows steady progress; a tendency so marked should not be overlooked by anyone engaged in the horticultural trade. The everyday utility of these plants, combined with singular charm and attractiveness, has earned public recognition of their merit; and from comparative obscurity, they have, in a few years, attained a place of first rate importance in the estimation of garden lovers. We are confident that this popularity is enduring, and that they will be more and more used in garden decoration.

We devote ourselves exclusively to their propagation and culture and our business is entirely wholesale. Inquiries are solicited from all branches of the trades, and by careful attention to every detail we give you absolute assurance of satisfaction, no matter how exacting your requirements may be.

The descriptions in this catalogue are taken from plants when in flower and no pains have been spared to make them accurate and dependable.

#### **TERMS**

Accounts are due in thirty days; cash or satisfactory references are required from unknown correspondents.

Prices in this catalogue include packing.

### HARDY PERENNIALS

ACUITE	Per Doz Pe	er 100
ACHILLEA filipendulinaA strong growing plant with fern-like foliage, bearing large flat heads of yellow flowers. 4 ft. July-August.		12.00
Ptarmica Boule de Niege. This and the following are among the most valuable of hardy plants for cutting. If they are cut hard back after the first flowers are past, a second crop will be produced in early fall. Sprays of small double white flowers. 12 to 18 inches. June-September.	r e - e	10.00
" The Pearl. A stronger growing variety than the foregoing, bearing larger flowers. 2 ft June-September.		10.00
tomentosa. A dwarf rock plant bearing heads of bright yellow flowers. 6 in. June.	f 1.50	10.00
AETHIONEMA (Lebanon Candytuft). A family of rare and beautiful, dwarf sub-shrubs thriving in sunny, well drained positions on the rock garden.	1	
coridifolium. A trailing species bearing heads of bright pink flowers. 9 inches. April-May.	f 3.00	20.00
grandiflorum A dainty and beautiful plant. It forms a compact bush and is covered in July with clusters of pink flowers. 1 ft.		20.00
iberideum. Trailing habit, white flowers and gray foli- age. 6 inches. April-May.	2.50	15.00

•	· · · · · · · · · · · · · · · · · · ·	
AGROSTEMMA	Per Doz	Per 100
coronaria. Bright crimson flowers and gray woolly fol-		
iage making a pleasing contrast. 2 ft. June-		
July.	1.25	8.00
" alba. A white variety of the preceding.	1.25	8.00
AJUGA genevensis. Short spikes of intense blue flow-	4 50	<b>40.00</b>
ers. A good rock plant. 6 inches. June.	1.50	10.00
ALYSSUM  argenteum. Large flat heads of golden yellow flowers		
borne on wiry stems. 1 ft. May-June.	1.50	10.00
saxatile citrinum. A rare sulphur colored variety of	1.00	1000
the well known Gold Dust.	2.50	15.00
" compactum. (Gold Dust) Masses of yellow		
flowers in April and May. 1 ft.	1.25	8.00
ANEMONE		
Pulsatilla (Pasque Flower). Large, cup shaped, bluish		
purple flowers, filled with golden anthers, borne		
singly on stems 1 ft. high. April-May. " rubra. A new and rare form of the preceding.	$\frac{1.50}{1.50}$	10.00
ANTHEMIS tinctoria Kelwayi. Bright yellow daisy-like	1.00	10.00
flowers in great profusion. Good for cutting.		
June-September.	1.25	8.00
AQUILEGIA (Columbine)		
chrysantha. A tall and beautiful species bearing soft		
yellow flowers. 3 ft. May-June.	1.50	10.00
coerulea. Blue and white flowers with long slender		
spurs. 2 ft. May-June.	1.50	10.00
flabellata. A dwarf species bearing ivory white flow-	4 50	4000
ers. 1 ft. May-June.	1.50	10.00
Mrs. Scott Elliot's Strain. A first class strain of long spurred hybrids, bearing flowers of many rich		
and varied colors. 2-3 ft. May-June.	1.50	10.00
nivea grandiflora. Large pure white flowers; strong	1.00	10.00
grower. 2½ ft. May-June.	1.25	8.00
ARABIS. (Rockcress)		
alpina. A useful early flowering plant suitable for		
rock garden, border, or for spring bedding.		
White. 9 inches, April-May.  "fl. pl. A double flowered variety of the preced-	1.50	10.00
ing, and a much superior plant, as it does not		
produce seed it has a much longer flowering		
period. It will stand gentle forcing and is valu-		
able as a cut flower.	2.00	12.00

ARENARIA. (Sandwort)	Per Doz	Per 100
laricifolia. White flowers freely borne on wiry stems 6 inches. May-June.  montana. One of the best of rock plants for trailing	2.00	12.00
over a ledge. Cascades of glistening white flowers in May.	2.00	12.00
ARMERIA. (Thrift, Sea Pink) maritima alba. Compact tufts of grass-like foliage	Δ	
entirely covered in May and June with globular heads of white flowers. 6 in.  "Laucheana. Similar to the last but having pine flowers. This variety frequently blooms	2.00	12.00
throughout the summer.	1.25	8.00
ARTEMISIA lactiflora. Fragrant spiraea-like plumes of creamy	У	
white flowers are borne on stout, erect stems from August to October. 5-6 ft.		8.00
ASCLEPIAS tuberosa. Strong stems terminating in clusters of bright orange red flowers. 2½ ft July-September.		10.00
ASTER. (Michae'mas Daisy. Starwort) As a plan of general usefulness the aster stands unrivaled. The great variety in color, size of flower, time of flowering and height, combined with simple cultural requirements make it one of the mos desirable of hardy plants. Many of the varieties are excellent for cutting. The fines flowers and strongest spikes are obtained in the plants are divided annually.	l. e e t  t	
NEW VARIETIES		
Chastity. Graceful arching sprays of small white flow ers. 3 ft. September.	3.00	20.00
Enchantress. Compact bushes of heath-like foliag entirely covered with small, dainty, pale lav ender flowers. 3½ ft. September.	3.00	20.00
King Edward VII. Long slender stems thickly clothewith deep lavender flowers. 4 ft. September October.	3.00	20.00
Lovely. Numerous erect stems form a dense bush, the whole plant being entirely hidden by masses of pink flowers in September. 2 ft.	e of 3.00	20.00
Osprey. A compact bush smothered with creamy whit flowers. September. 2½ ft.	e 3.00	20.00

	Per Doz	Per 100
ASTER (continued)		
Golden Spray. Drooping sprays of white flowers with conspicuous yellow anthers. 3 ft. September.  GENERAL COLLECTION	3.00	20.00
Climax. Large, pale mauve flowers, with yellow centers, are borne on long slender stems. 5 ft.		
September-October.  John Wood. One of the oldest and still one of the best. The flowers open very pale mauve and		10.00
turn pure white with age. 3½ ft. September  Maggie Perry. Soft pink flowers borne in immense	1.50	10.00
trusses. 4 ft. September-October.	2.50	15.00
Perry's White. A very free flowering variety of graceful habit. The flowers are large and of good substance. Excellent for cutting. 4 ft September-October.	f	10.00
St. Egwyn. This variety forms a compact bush, and during September is entirely covered with large clear pink flowers. One of the best asters in cultivation. 2½ ft.	L	10.00
Well's White. Stout erect stems bearing a profusion of medium size flowers, creamy white in color	•	
4 ft. August-September.	1.50	10.00
White Climax. A pure white variety of Climax.  N. A. Lil Fardel. Large clear pink flowers. 4 ft.  September-October.	1.50 1.50	10.00
ASTER, DWARF ALPINE	1.00	10.00
alpinus. Large bluish purple flowers. 9 inches		
May-June.	1.50	10.00
" albus. A white variety of the foregoing.	1.50	10.00
subcoeruleus. Large violet-purple flowers freely borne on slender erect stems, 1 ft. June-July.	1.50	10.00
AUBRIETIA deltoidea. Raised from seed of named varieties of this species; various shades of pink	l c	
and lavender. 6 inches. April-May.	2.00	<b>12.</b> 00
BAPTISIA australis. (False Indigo) A first rate border plant bearing sprays of dark indigo blue flowers, resembling lupines. When well established this is a valuable plant for cutting. 3 ft. June-	- I	
July.	1.50	10.00
BETONICA		
grandiflora superba. Whorls of rosy purple flowers borne on stems 1½ ft. high. July.	1.50	10.00

	Per Doz	Per 100
BOLTONIA		
latisquama. A tall aster-like plant bearing delicate pink flowers. Good for cutting. 5 to 6 ft.		8.00
September.  "nana. A somewhat uncommon plant deserving wider recognition. It forms a compact bush 3 feet in height, and in September is smothered		8.00
with dainty pink flowers.	2.00	12.00
BUPTHALMUM salicifolium. A compact growing pla covered in July with large yellow flowers which are good for cutting. 2 ft.		10.00
CALAMINTHA alpina. A little known but extremely beautiful rock plant. It has a prostrate habit and in June is entirely covered with clusters of	;	10.00
violet-purple flowers.	1.50	10.00
campanula (Bellflower) .One of the most beautiful and important families of hardy plants. Having a very wide geographical distribution, its members are extremely varied in character and are adapted for rock garden, border and woodland.	•	
alliariaefolia. Creamy white flowers. 2 ft. June. carpatica. Suitable for rock garden or border. Large blue, cup shaped flowers during July and Aug-	1.50	10.00
ust. 1 ft.	1.50	10.00
" alba. A white variety of the preceding.	1.50	10.00
glomerata. Clusters of tubular, violet-purple flowers borne on strong, upright stems. 1½ ft. July.	2.00	12.00
grandis alba. Compact tufts of rich green foliage and and stems 2 to 3 ft. high studded with sauce	1 r 1.50	10.00
shaped flowers. June-July.  macrantha. A vigorous grower 5 feet high, the stems	8	10.00
terminating in clusters of large, deep blue flowers. July.	1.50	10.00
Medium. (Canterbury Bell) Blue, pink, white, sep	1.00	7.00
" calycanthema. (Cup and Saucer) Mixed colors.	1.00	7.00
persicifolia. Slender, graceful stems studded with blue	,	10.00
cup shaped flowers in June and July. 2½ ft.	1.50 1.50	10.00 10.00
" alba. A white variety of the above.		10.00
pyramidalis alba. The white variety of the well known chimney campanula.	1.50	10.00

	Per Doz.	Per 100
CAMPANULA (Continued)		
Raddeana. A rare and distinct species bearing deep purple bells on thin wiry stems. 9 inches. June-July.		12.00
CASSIA marylandica. (Indian Senna) Clusters of yellow pea shaped flowers. 5-6 ft. July-September.		8.00
CATANANCHE coerulea. A free flowering old fashioned plant; blue flowers which last well when cut. 1½ ft. June-August.	1.25	8.00
CENTAUREA  dealbata. Handsome deeply cut foliage, white on the under side; rose pink flowers. 2 ft. July- Sep- tember.	1.50	10.00
macrocephala. A stately plant of robust habit, bearing large globular heads of golden yellow flowers.  4 to 5 ft. July-August.	1.50	10.00
montana Wooly foliage and bright blue flowers. 1½ ft. June-July.	1.50	10.00
" alba A white variety of the preceding.  ruthenica. Finely divided leaves and golden yellow flowers borne on slender, graceful stems. 3 ft.  July.	1.50	10.00
CEPHALARIA tartarica. A tall Scabiosa-like plant bearing large golden yellow flowers on long stems. 4-5 ft. July-August.	1.25	8.00
CERASTIUM tomentosum. Forms a carpet of silvery foliage, covered in May with pure white flowers.	1.50	10.00
CHELONE Lyoni. A very free flowering plant bearing large deep pink pentstemon-like flowers on sturdy erect stems. 2 ft. July-September.	1.50	10.00
CHRYSANTHEMUM Old fashioned pompons. Pink, yellow red. Field grown.	1.25	8.00
maximum. (Shasta Daisy) A useful plant for cutting the large white daisy-like flowers are produced over a long period. 2 ft. June-Sept.	1.25	8.00
uliginosum. White flowers with green centers, on long straight stems. 4-5 ft. August-September.	1.50	10.00

	D D	D 100
COREOPSIS grandiflora. One of the best hardy plant	Per Doz.	Per 100
for cutting; bright yellow flowers are borne on long graceful stems throughout the summer.		<b></b>
2½ ft.	1.00	7.00
CRUCIANELLA stylosa. A useful trailing plant for the rock garden bearing clusters of pink flowers. June-July.		10.00
DELPHINIUM		
Belladonna. An invaluable plant for cutting; sky-blue flowers in great profusion from June until frost. 2½ to 3 ft.		8.00
formosum. A robust growing Larkspur having dark blue flowers with white centers. 4 ft. June	:	3.00
September.	1.25	8.00
grandiflorum. (chinense) Gentian-blue flowers and finely divided foliage. 1½ to 2 ft. June-		
" album. A white variety of the above.	1.25	8.00
October.	1.25	8.00
Mixed Hybrids. This mixture can be relied on to produce a large percentage of extremely good individuals, and is much superior to the ordinary mixed strain of Delphiniums.	•	12.00
DIANTHUS		
alpinus. A lovely dwarf Alpine with large deep pink flowers borne close down to the foliage, which they entirely hide. 4 inches. May-June.		
arenarius. A choice species for the rock garden with deeply fringed, fragrant, white flowers.	}	10.00
inches. May-June.	2.00	12.00
caesius. (Cheddar Pink) Blue gray cushions of foli- age and rosy pink, sweetly scented flowers		
May-June.	2.00	12.00
deltoides. (Maiden Pink) A trailing rock plant also	)	
useful for border edging. June-July.	1.50	10.00
" albus A white variety of the foregoing.	1.50	10.00
" Brilliant. A vivid crimson variety.	1.50	10.00
neglectus. A choice and beautiful Alpine; bright car mine flowers with a buff reverse. 6 inches June-July.	2.50	15.00
plumarius. A first rate mixture, beautifully frilled flowers. 1 ft. June-July.		8.00

	Per Doz	Per 100
DIELYTRA formosa. Dainty fern-like foliage and lyre shaped flowers. 1 ft. May-August.	2.00	12.00
DIGITALIS (Foxglove) gloxinaeflora. Pink, purple, white, separate.	1.00	7.00
DRACOCEPHALUM Ruyschianum. One of the show- iest of spring flowering plants and one we highly recommend to those seeking something unusual. It forms a clump of many stems, each stem being thickly covered during May with		
purplish blue, tubular flowers. 1 to 1 1/2 ft.	2.00	12.00
ECHINACEA purpurea. (Purple Coneflower) Large pinkish purple flowers. 4 to 5 ft. July-August.	1.50	10.00
ERIGERON		
glaucus. Violet blue flowers. 1 ft. May-June.	1.25	8.00
speciosus. A free flowering and vigorous growing plant bearing medium size, purplish lilac flowers. First rate for cutting. 2 ft. July-August.	1.50	10.00
ERINUS		
alpinus. Pretty rosettes of foliage and racemes of rosy purple flowers. A first rate rock plant and also invaluable for establishing on old walls or		
between steps. 6 inches. May-June.	2.50	
" albus. A white variety of the foregoing.	2.50	
ERIOPHYLLUM caespitosum. A good plant for a dry position on rock graden. Bright yellow flowers and gray foliage. 9 inches. June-July.	2.50	15.00
ERYNGIUM .(Sea Holly)  planum. Small blue flower heads and steely blue stems. Good for cutting and drying. 2½ ft.		
July-August.	1.50	10.00
EUPATORIUM coelestinum. Very free flowering and valuable for cutting. Masses of blue, ageratum-like flowers from August to October. 2 ft.	1.25	8.00
Fraseri. Feathery white flowers, 2 ft. July-Septem-		0.00
ber.	1.25	8.00
EUPHORBIA corollata. The value of this plant is not		
fully appreciated. It is well adapted for shipping, and its small pure white flowers take the place of Gypsophila paniculata when that is past. Best results are obtained by allowing it to remain undisturbed for several years. 2 ft.		
August-September.	1.25	8.00

P	er Doz I	Per 100
FUNKIA undulata variegata. Creamy white and green variegated leaves. 9 inches.	1.50	10.00
	1.50	10.00
GAILLARDIA grandiflora. Ranging in color from old gold to crimson. For furnishing a continuous supply of cut flowers, this plant is unrivalled. 2 ft. June-October.	1.00	7.00
GALEGA		
officinalis Clusters of fragrant, bluish lilac, pea shaped flowers.	1.25	8.00
" alba. A white variety of the above.	1.25	8.00
GERANIUM		
sanguineum. Forms a thick mass of prostrate, wiry stems, and bears a profusion of saucer shaped, blood red flowers.	2.00	12.00
" A white variety of the above.	2.00	12.00
GEUM		
Borisii. A new and rare hybrid with intensely vivid orange-scarlet flowers. Dwarf, compact habit.	3.00	20.00
Lady Stratheden. A new variety similar in habit and growth to the well known Geum Mrs. Bradshaw, bearing large, old gold, double flowers. 2 ft.	2.00	12.00
May-June.  Mrs. Bradshaw. One of the most striking of hardy	2.00	12.00
plants. Slender, branching stems are produced from tufts of evergreen foliage, and bear large rich scarlet, double flowers in great profusion. A good plant for cutting. 2 ft. May-		-
June.	1.50	10.00
GLOBULARIA tricosantha. (Globe Daisy) A low growing rock plant, bearing globular heads of pale blue flowers arising from tufts of shiny	1.50	10.00
green foliage, 6 inches. May-June.	1.50	10.00
GYPSOPHILA		
paniculata. Cloud-like masses of small white flowers.  One of the most popular and useful plants for cutting. 2 ft. July.	1.25	8.00
repens. A dwarf trailer, excellent for cascading down the slopes of the rock garden. Masses of small		
white flowers. June-July.	1.50	10.0

	Per Doz	Per 100
HELENIUM	å	
autumnale Riverton Beauty. Clear yellow flowers		
with black centers. 4 ft. August-September.	1.50	10.00
" superbum Yellow. 4 ft. August-September.		10.00
Hoopesii. Large heads of deep yellow flowers. 2 ft. June-July.	1.50	10.00
HELIANTHEMUM (Rock Rose) Dwarf evergreen		
shrubs forming compact bushes. The flowers are single and double and very varied in color and resemble miniature roses.		
Fireball. Brilliant scarlet, single. 9 inches. June.	2.00	12.00
Macranthum. Large creamy white. 6 inches. June.	2.00	12.00
Mrs. Earle. Double scarlet. 9 inches. June.	2.00	12.00
Praecox. Large, sofe yellow flowers Silvery foliage,		
1 ft. June.	2.00	12.00
Rhodanthe Carneum. Very large, clear pink, single flowers. Silvery foliage. 1 ft. June.	2.00	12.00
HEUCHERA Choice Hybrids. A mixed strain varying from white to crimson, furnishing numerous striking hues of color. 2 ft. June-July.		12.00
HIBISCUS (Mallow)		
Marvel Mallows. Pink, red, white with crimson eye separate.	; 1.50	10.00
HIERACIUM		
aurantiacum. A dwarf rock or border plant bearing	r	
large heads of rich orange colored flowers 1½ ft. May-June.		10.00
villosum. Downy gray foliage, bright yellow flowers		
1 ft. June	1.50	10.00
HYPERICUM olympicum. A rare rock plant, gray foli- age and very large deep yellow flowers. June-		
July. 9 inches.	3.00	20.00
IBERIS (Candytuft)		
sempervirens. An invaluable and popular spring flow- ering plant of dwarf and compact habit, bear- ing masses of snow white flowers produced in	•	
large trusses. 9 inches. April-May.	1.50	10.00
" Little Gem. A minature variety of the above.	2.00	12.00

er Doz	Dom 100
	rer 100
2.00	12.00
1.50	10.00
1.50	10.00
1.50	10.00
2.00	12.00
2.00	<b>12.</b> 00
2.00	12.00
2.00	12.00
1.50	10.00
2.00	12.00
2.00	10.00
	12.00
1.50	10.00
0.00	10.00
	12.00
2.00	12.00
2.00	12.00
1.25	8.00
2.00	12.00
2.00	12.00
1.25	8.00
1.25	8.00
	2.00 1.50 1.50 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2

"Munstead Variety. A dwarf compact variety of the above and freer flowering. Good for edging or rock garden. 9 inches. June-July. 2.00 12.00  LEONTOPODIUM alpinum. (Eidelweiss) White leaves and small yellow flowers surrounded by star-like heads of leaves clothed with a dense white woo'ly substance. 6 inches. May-June. 2.00 12.00  LIATRIS pycnostachya. Long slender stems densely clothed with rosy purple flowers. 4 to 5 ft. July-August. 1.50 10.00  LINUM narbonnense. Strong grower, erect habit, blue flowers all summer. 3 ft. 1.50 10.00  LINUM narbonnense. A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft. 1.25 8.00  LOBELLA cardinalis (Cardinal Flower) A moisture loving plant. Numerous long, graceful stems bearing tubular, scarlet flowers. 3 to 4 ft. July-August. 1.50 10.00  LUPINUS (Lupine) polyphyllus. Strong spikes of deep blue pea shaped flowers. 3 to 4 ft. June-July. 1.50 10.00  " albus. A white variety of the above. 1.50 10.00  " roseus. A pink variety. 2.00 12.00  LYCHNIS alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches. 1.50 10.00  chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00		Per Doz	Per 100
vera (Sweet Lavender) A popular old-fashioned plant with fragrant blue flowers and foliage.  1½ to 2 ft. June-July.  "Munstead Variety. A dwarf compact variety of the above and freer flowering. Good for edging or rock garden. 9 inches. June-July.  LEONTOPODIUM alpinum. (Eidelweiss) White leaves and small yellow flowers surrounded by star-like heads of leaves clothed with a dense white woo'ly substance. 6 inches. May-June.  LIATRIS  pycnostachya. Long slender stems densely clothed with rosy purple flowers. 4 to 5 ft. July-August.  scariosa. Deep purple. 2 to 3 ft. June-July.  LINUM  narbonnense. Strong grower, erect habit, blue flowers all summer. 3 ft.  perenne. A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft.  LOBELLA cardinalis (Cardinal Flower) A moisture loving plant. Numerous long, graceful stems bearing tubular, scarlet flowers. 3 to 4 ft. July-August.  LUPINUS (Lupine)  polyphyllus. Strong spikes of deep blue pea shaped flowers, 3 to 4 ft. June-July.  "albus. A white variety of the above.  "roseus. A pink variety.  LYCHNIS  alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches.  chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July.  1.25 8.00		1.50	10.00
vera (Sweet Lavender) A popular old-fashioned plant with fragrant blue flowers and foliage. 1½ to 2 ft. June-July.  "Munstead Variety. A dwarf compact variety of the above and freer flowering. Good for edging or rock garden. 9 inches. June-July.  LEONTOPODIUM alpinum. (Eidelweiss) White leaves and small yellow flowers surrounded by star-like heads of leaves clothed with a dense white woo'ly substance. 6 inches. May-June.  LIATRIS  pycnostachya. Long slender stems densely clothed with rosy purple flowers. 4 to 5 ft. July-August, scariosa. Deep purple. 2 to 3 ft. June-July.  LINUM  narbonnense. Strong grower, erect habit, blue flowers all summer. 3 ft.  perenne. A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft.  LOBELLA cardinalis (Cardinal Flower) A moisture loving plant. Numerous long, graceful stems bearing tubular, scarlet flowers. 3 to 4 ft. July-August.  LUPINUS (Lupine)  polyphyllus. Strong spikes of deep blue pea shaped flowers. 3 to 4 ft. June-July.  "albus. A white variety of the above.  "roseus. A pink variety.  LYCHNIS  alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches.  chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July.  1.50  10.00		1.50	10.00
plant with fragrant blue flowers and foliage.  1½ to 2 ft. June-July.  "Munstead Variety. A dwarf compact variety of the above and freer flowering. Good for edging or rock garden. 9 inches. June-July.  LEONTOPODIUM alpinum. (Eidelweiss) White leaves and small yellow flowers surrounded by star-like heads of leaves clothed with a dense white woo'ly substance. 6 inches. May-June.  LIATRIS  pycnostachya. Long slender stems densely clothed with rosy purple flowers. 4 to 5 ft. July-August.  scariosa. Deep purple. 2 to 3 ft. June-July.  LINUM  narbonnense. Strong grower, erect habit, blue flowers all summer. 3 ft.  perenne. A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft.  LOBELLA cardinalis (Cardinal Flower) A moisture loving plant. Numerous long, graceful stems bearing tubular, scarlet flowers. 3 to 4 ft. July-August.  LUPINUS (Lupine)  polyphyllus. Strong spikes of deep blue pea shaped flowers. 3 to 4 ft. July-August.  LUPINUS (Lupine)  polyphyllus. A white variety of the above.  "roseus. A pink variety.  LYCHNIS  alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches.  chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July.  1.50  10.00  12.			
of the above and freer flowering. Good for edging or rock garden. 9 inches. June-July. 2.00 12.00  LEONTOPODIUM alpinum. (Eidelweiss) White leaves and small yellow flowers surrounded by starlike heads of leaves clothed with a dense white woo'ly substance. 6 inches. May-June. 2.00 12.00  LIATRIS  pycnostachya. Long slender stems densely clothed with rosy purple flowers. 4 to 5 ft. July-August. 1.50 10.00  LINUM  narbonnense. Strong grower, erect habit, blue flowers all summer. 3 ft. 1.50 10.00  perenne. A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft. 1.25 8.00  LOBELLA cardinalis (Cardinal Flower) A moisture loving plant. Numerous long, graceful stems bearing tubular, scarlet flowers. 3 to 4 ft. July-August. 1.50 10.00  LUPINUS (Lupine)  polyphyllus. Strong spikes of deep blue pea shaped flowers. 3 to 4 ft. June-July. 1.50 10.00  " roseus. A pink variety. 1.50 10.00  " roseus. A pink variety. 1.50 10.00  LYCHNIS  alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches. 1.50 10.00  chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00	plant with fragrant blue flowers and foliage	•	10.00
and small yellow flowers surrounded by star- like heads of leaves clothed with a dense white woo'ly substance. 6 inches. May-June. 2.00 12.00  LIATRIS pycnostachya. Long slender stems densely clothed with rosy purple flowers. 4 to 5 ft. July-Aug- ust. 1.50 10.00 scariosa. Deep purple. 2 to 3 ft. June-July. 1.50 10.00  LINUM narbonnense. Strong grower, erect habit, blue flowers all summer. 3 ft. 1.50 10.00 perenne. A continuous succession of clouds of sap- phire blue flowers throughout summer. 2 ft. 1.25 8.00  LOBELLA cardinalis (Cardinal Flower) A moisture loving plant. Numerous long, graceful stems bearing tubular, scarlet flowers. 3 to 4 ft. July-August. 1.50 10.00  LUPINUS (Lupine) polyphyllus. Strong spikes of deep blue pea shaped flowers. 3 to 4 ft. June-July. 1.50 10.00 " roseus. A pink variety of the above. 1.50 10.00 " roseus. A pink variety. 2.00 12.00  LYCHNIS alpina. Compact cushions of rich green leaves, stud- ded in April and May with heads of pink flow- ers. 6 inches. 1.50 10.00 chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scar- let flowers. 2 to 3 ft. June-July. 1.25 8.00	of the above and freer flowering. Good for edging or rock garden. 9 inches. June	: -	12.00
and small yellow flowers surrounded by star- like heads of leaves clothed with a dense white woo'ly substance. 6 inches. May-June. 2.00 12.00  LIATRIS pycnostachya. Long slender stems densely clothed with rosy purple flowers. 4 to 5 ft. July-Aug- ust. 1.50 10.00 scariosa. Deep purple. 2 to 3 ft. June-July. 1.50 10.00  LINUM narbonnense. Strong grower, erect habit, blue flowers all summer. 3 ft. 1.50 10.00 perenne. A continuous succession of clouds of sap- phire blue flowers throughout summer. 2 ft. 1.25 8.00  LOBELLA cardinalis (Cardinal Flower) A moisture loving plant. Numerous long, graceful stems bearing tubular, scarlet flowers. 3 to 4 ft. July-August. 1.50 10.00  LUPINUS (Lupine) polyphyllus. Strong spikes of deep blue pea shaped flowers. 3 to 4 ft. June-July. 1.50 10.00 " roseus. A pink variety of the above. 1.50 10.00 " roseus. A pink variety. 2.00 12.00  LYCHNIS alpina. Compact cushions of rich green leaves, stud- ded in April and May with heads of pink flow- ers. 6 inches. 1.50 10.00 chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scar- let flowers. 2 to 3 ft. June-July. 1.25 8.00	LEONTOPODIUM alninum (Eidelweiss) White leaves	<b>.</b>	
Pycnostachya. Long slender stems densely clothed with rosy purple flowers. 4 to 5 ft. July-August. 1.50 10.00 scariosa. Deep purple. 2 to 3 ft. June-July. 1.50 10.00 linum narbonnense. Strong grower, erect habit, blue flowers all summer. 3 ft. 1.50 10.00 perenne. A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft. 1.25 8.00 linuming plant. Numerous long, graceful stems bearing tubular, scarlet flowers. 3 to 4 ft. July-August. 1.50 10.00 linuming plant. Strong spikes of deep blue pea shaped flowers. 3 to 4 ft. June-July. 1.50 10.00 linuming roseus. A white variety of the above. 1.50 10.00 linuming roseus. A pink variety. 1.50 10.00 linuming cers. 6 inches. 1.50 10.00 linuming stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flowers. 1.25 8.00 linuming scarlet flowers. 1.25 8.00 linuming scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00 linuming scarlet flower	and small yellow flowers surrounded by star like heads of leaves clothed with a dense white	- e	12.00
pycnostachya. Long slender stems densely clothed with rosy purple flowers. 4 to 5 ft. July-August. 1.50 10.00 scariosa. Deep purple. 2 to 3 ft. June-July. 1.50 10.00 linum narbonnense. Strong grower, erect habit, blue flowers all summer. 3 ft. 1.50 10.00 perenne. A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft. 1.25 8.00 living plant. Numerous long, graceful stems bearing tubular, scarlet flowers. 3 to 4 ft. July-August. 1.50 10.00 living plant. Strong spikes of deep blue pea shaped flowers. 3 to 4 ft. June-July. 1.50 10.00 living albus. A white variety of the above. 1.50 10.00 living roseus. A pink variety. 2.00 12.00 living alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches. 1.50 10.00 living stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00		2.00	12.00
LINUM  narbonnense. Strong grower, erect habit, blue flowers all summer. 3 ft.  perenne. A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft.  LOBELLA cardinalis (Cardinal Flower) A moisture loving plant. Numerous long, graceful stems bearing tubular, scarlet flowers. 3 to 4 ft. July-August.  LUPINUS (Lupine)  polyphyllus. Strong spikes of deep blue pea shaped flowers, 3 to 4 ft. June-July.  "albus. A white variety of the above.  "roseus. A pink variety.  LYCHNIS alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches.  chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July.  1.50  10.00	pycnostachya. Long slender stems densely clothed		
LINUM  narbonnense. Strong grower, erect habit, blue flowers all summer. 3 ft.  perenne. A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft.  LOBELLA cardinalis (Cardinal Flower) A moisture loving plant. Numerous long, graceful stems bearing tubular, scarlet flowers. 3 to 4 ft. July-August.  LUPINUS (Lupine)  polyphyllus. Strong spikes of deep blue pea shaped flowers. 3 to 4 ft. June-July.  albus. A white variety of the above.  roseus. A pink variety.  LYCHNIS alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches.  chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July.  1.50  10.00  1.50  10.00  1.50  10.00  1.50  10.00  1.50  10.00  1.50  10.00  1.50  10.00  1.50  10.00  1.50  10.00  1.50  10.00  1.50  10.00  1.50  10.00	ust.	1.50	10.00
narbonnense. Strong grower, erect habit, blue flowers all summer. 3 ft.  perenne. A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft.  LOBELLA cardinalis (Cardinal Flower) A moisture loving plant. Numerous long, graceful stems bearing tubular, scarlet flowers. 3 to 4 ft. July-August.  LUPINUS (Lupine)  polyphyllus. Strong spikes of deep blue pea shaped flowers. 3 to 4 ft. June-July.  albus. A white variety of the above.  roseus. A pink variety.  LYCHNIS  alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches.  chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scar- let flowers. 2 to 3 ft. June-July.  1.50	scariosa. Deep purple. 2 to 3 ft. June-July.	1.50	10.00
all summer. 3 ft.  perenne. A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft.  LOBELLA cardinalis (Cardinal Flower) A moisture loving plant. Numerous long, graceful stems bearing tubular, scarlet flowers. 3 to 4 ft.  July-August.  LUPINUS (Lupine)  polyphyllus. Strong spikes of deep blue pea shaped flowers. 3 to 4 ft. June-July.  albus. A white variety of the above.  roseus. A pink variety.  LYCHNIS  alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches.  chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July.  1.50  1.000  1.50	LINUM		
phire blue flowers throughout summer. 2 ft. 1.25 8.00  LOBELLA cardinalis (Cardinal Flower) A moisture loving plant. Numerous long, graceful stems bearing tubular, scarlet flowers. 3 to 4 ft. July-August. 1.50 10.00  LUPINUS (Lupine)  polyphyllus. Strong spikes of deep blue pea shaped flowers, 3 to 4 ft. June-July. 1.50 10.00  "albus. A white variety of the above. 1.50 10.00  "roseus. A pink variety. 2.00 12.00  LYCHNIS  alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches. 1.50 10.00  chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00			10.00
loving plant. Numerous long, graceful stems bearing tubular, scarlet flowers. 3 to 4 ft. July-August. 1.50 10.00  LUPINUS (Lupine)  polyphyllus. Strong spikes of deep blue pea shaped flowers. 3 to 4 ft. June-July. 1.50 10.00  "albus. A white variety of the above. 1.50 10.00  "roseus. A pink variety. 2.00 12.00  LYCHNIS  alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches. 1.50 10.00  chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scar- let flowers. 2 to 3 ft. June-July. 1.25 8.00			8.00
polyphyllus. Strong spikes of deep blue pea shaped flowers, 3 to 4 ft. June-July.  "albus. A white variety of the above.  "roseus. A pink variety.  LYCHNIS alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches.  chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July.  1.50 10.00 12.00	loving plant. Numerous long, graceful stems bearing tubular, scarlet flowers. 3 to 4 ft	s •	10.00
polyphyllus. Strong spikes of deep blue pea shaped flowers, 3 to 4 ft. June-July.  "albus. A white variety of the above.  "roseus. A pink variety.  LYCHNIS alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches.  chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July.  1.50 10.00 12.00	LUPINUS (Lupine)		
flowers. 3 to 4 ft. June-July.  "albus. A white variety of the above.  "roseus. A pink variety.  LYCHNIS  alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches.  chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July.  1.50  10.00  12.00		1	
" roseus. A pink variety.  2.00  LYCHNIS  alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches.  chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July.  1.25  8.00			10.00
LYCHNIS  alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches.  chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July.  1.25 8.00	" albus. A white variety of the above.	1.50	10.00
alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches.  chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July.  1.25 8.00	" roseus. A pink variety.	2.00	12.00
ded in April and May with heads of pink flowers. 6 inches. 1.50 10.00 chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00	LYCHNIS		
chalcedonica. (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July. 1.25 8.00	ded in April and May with heads of pink flow	-	
stems bearing large flat heads of glowing scar- let flowers. 2 to 3 ft. June-July. 1.25 8.00			10.00
100 110 110 110 110 110 110 110 110 110	stems bearing large flat heads of glowing scar	-	9.00
	let flowers. 2 to 3 ft. June-July.  "alba, A white variety of the preceding.	1.25 $1.25$	8.00

p	er Doz	Par 100
Viscaria splendens. f. pl. Intense crimson-scarlet	CI DOZ	101 100
double flowers. Good for cutting; very effec-		•
tive in electric light. 1 ft. June	2.00	12.00
LYSIMACHIA nummularia. A prostrate creeper stud-		
ded in spring with yellow flowers. A good		
plant for quickly covering a damp, shady spot.	1.25	8.00
LYTHRUM virgatum Rose Queen. A symmetrical bush formed of numerous slender stems which are thickly covered three-quarters of their length with rosy pink flowers. 3 to 4 ft. July-September.	2.00	12.00
MALVA		
moschata. (Musk Mallow) Forms a branching bush about 2 ft. high and is covered throughout the summer with delicate pink flowers, 1½ in. in diameter. Slightly musk scented. Useful for		
cutting.	1.50	10.00
" alba. A pure white variety of the above.	1.50	10.00
NEPETA		
Mussini. (Catmint) Silvery foliage and lavender flowers. 1 ft. May—June.	1.50	10.00
NIEREMBERGIA rivularis. Large, pure white, cup-		
shaped flowers covering a carpet of rich green foliage. 3 inches. June-October.	1.50	10.00
ONOSMA (Golden Drop)		
stellulatum. A rare and beautiful plant for the rock garden. It forms an evergreen tuft of leaves and bears during May and June drooping clusters of amber-colored, drop shaped blossoms, deliciously almond scented. It should be given a sunny, well drained position. 9 to 12		
inches.	3.00	20.00
PAPAVER		
nudicaule. (Iceland Poppy) Yel ow, orange and white.	1.50	10.00
1 ft. May-August.	1.50	10.00
orientale. Scarlet flowers. 2 to 3 ft. May-June.	1.50	10.00
" Mrs. Perry Medium size flowers of a pleasing shade of pink rae borne on sturdy stems. 3 ft. May-June.	2.00	12.00

	-	
PARDANTHUS sinensis. (Blackberry Lily) Bright orange, lily-like flowers with brown purple		Per 100
spots, followed by conspicuous black seeds re- sembling blackberries. 3 ft. July-August.	1.25	8.00
PENTSTEMON		
barbatus Torreyi. Graceful, tapering stems, covered with large tubular, scarlet flowers. 4 ft. June-August.		10.00
Digitalis. White, tubular flowers with purple throat Good for cutting. 2 to 3 ft. June-July.		10.00
ovatusThick leathery leaves and spikes of blue flowers. 2 ft. June-July.	1.50	10.00
pubescens. Handsome spikes of purple flowers. 1½ ft July.	1.50	10.00
PHLOX		
Albion. White with faint red eye. 2½ ft.	1.25	8.00
Bacchante. Fiery pink with crimson eye. 2 ft.	1.25	8.00
B. Comte. Brilliant French purple. 11/2 ft.	1.50	10.00
La Vogue. Rosy pink 2 ft.	1.25	8.00
Mrs. Jenkins. Pure white; large trusses. 2½ ft.	1.25	8.00
Rosenberg. Carmine violet with reddish eye. 2 ft. R. P. Struthers. Bright rosy red with crimson eye 2 ft.	1.50 1.50	10.00
suffruticosa Miss Lingard. A good variety for cutting pyramidal trusses of white flowers with faint lilac eyes. 2½ ft. June-September.		10.00
PHLOX, Dwarf Varieties.		•
amoena. Compact tufts of glossy green foliage an masses of vivid pink flowers in April and May		
9 inches.  carolina. Numerous slender stems, each terminating in a cluster of deep rose flowers. 1 ft. May.	1.25 5 1.25	8.00
divaricata. Trusses of large, fragrant, lavender flow ers. 9 in. May.		10.00
subulata alba (Moss Pink) Moss-like foliage covered in April and May with sheets of white flowers	•	0.00
6 inches.	1.25	8.00
" lilacina. A lilac variety.	1.25	8.00
" rosea. A pink variety.	1.25	8.00

. 1	Per Doz	Per 100
PHYSOSTEGIA  virginiana. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July-	1.00	7.00
August.	1.00	
" alba. A white variety of the foregoing.	1.00	7.00
"grandiflora. A plant of recent introduction and most valuable acquistion. It produces numerous stout, square stems 1 ft. to 1½ ft. high, each covered with large brilliant pink flowers, somewhat resembling a snap dragon in shape. The value of this plant is enhanced by its being an addition to the very few dwarf late flowering perennials. August-September.	1.50	10.00
PINK, Hardy. A highly popular group of old fashioned garden plants, esteemed for their extreme flor-iferousness and delicious fragrance. 12 to 15 inches. May-June.		
Excelsior. Delicate rose pink.	1.25	8.00
Her Majesty Pure white, large flowers.	1.25	8.00
Homer. Deep rose with darker center.	1.25	8.00
Juliette. White, laced crimson.	1.25	8.00
Lord Lyon. Deep Rose.	1.25	8.00
White Reserve. Pure white.	1.25	8.00
PLATYCODON (Balloon Flower) grandiflorium. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October.	1.25	8.00
	1.25	8.00
PLUMBAGO Larpentae. (Leadwort) Forms compact tufts of innumerable wiry stems each one terminating in a dense truss of coba't blue flowers.	1,20	
1 ft. August-October.	2.00	12.00
POLEMONIUM reptans. An attractive early spring flowering plant bearing sprays of blue flowers on short stems. 9 inches. April-May.	1.50	10.00
Richardsoni. Blue flowers with yellow centers. 1 ft. June.	1.50	10.00

	Per Doz	Per 100
PYRETHRUM	. cr <i>Doz.</i> -	101 100
roseum. Daisy-like flowers varying in color from white to crimson. Useful for cutting. 2 ft. June.	1.25	8.00
RANUNCULUS		
repens fl. pl. Small double yellow flowers on branching stems. Valuable for cutting. 1 to 1½ ft. April-May.	1.25	8.00
RUDBECKIA  Golden Glow. Double, deep yellow flowers 6 ft.  July-September.	1.25	8.00
SAGINA glabra. Emerald green cushions of moss-like growth covered in spring with numberless small white flowers. 2 inches.	1.50	10.00
SALVIA		
argentea. The value of this plant lies in its large silvery leaves.	1.50	10.00
azurea grandiflora. Tall straight stems covered for half their length with sky-blue flowers. 4 to 5 ft. August-October.  pratensis. Handsome spikes of blue flowers are con-	1.25	8.0 <b>0</b>
tinuously produced throughout the summer. 2 ft.	1.50	10.00
Sclarea. Large handsome leaves and spikes of pink and white flowers. 3 ft. July-August.	1.50	10.00
SANTOLINA incana. (Cotton Lavender) A compact growing ha'f shrubby plant with silvery foliage. 1 ft.	1.50	10.00
SCABIOSA		
caucasica. One of the finest of hardy plants, bearing throughout summer a succession of large soft lilac flowers on long stems. 2½ ft.	2.00	12.00
" alba. A white variety of the above.	2.00	12.00
SCUTELLARIA (Skull Cap)  baicalensis coelestina. A once well known and popular plant that, in the last few years, has become comparatively rare. The flowers are clear blue, resembling those of a snapdragon in shape, and are profusely borne on thin wiry stems from June until frost. 1—1½ ft.	2.00	12.00

, P	er Doz	Per 100
SEDUM		
acre. A dwarf grower forming a thick carpet of green foliage which is completely covered with yellow flowers in May	1.50	10.00
album. Small succulent leaves which turn reddish bronze in fall. Trusses of white flowers in June and July. 6 inches.	1.50	10.00
hispanicum. A minute plant, forming spreading tufts		
of gray foliage, becoming covered in May and June with small pink flowers. 4 inches.	1.50	10.00
lydium. Carpets of bright green foliage which turns reddish bronze during summer. 4 inches.	1.50	10.00
obtusatum. A rare and attractive stone crop. Small, round, fleshy leaves; dull green in spring but turn red in summer. Yellow flowers. 4 inches.		
June.	2.00	12.00
sexangulare. Dwarf trailer; green foliage and yellow flowers. 6 inches. June-July.	1.50	10.00
stoloniferum. Large clusters of pink flowers on pros- trate, trailing stems. 6 inches. June-July.	1.50	10.00
spectabile. Erect sturdy habit with broad glaucous leaves. The flowers are borne in large flat heads and rosy purple in color, they retain their beauty for 2 months. 1½ ft. August-September.		8.00
" atropurpureum. A deeper colored variety than the preceding, being a vivid amaranth red.		8.00
SIDALCEA Rose Queen. Spikes of rich rosy purple flowers. 2½ ft. July-August.	2.00	12.00
SILENE alpestris. A dainty little rock plant of tufted habit, bearing masses of small white flowers. 4 inches. May-June.		12.00
SPIRAEA Filipendula. Loose clusters of creamy white white flowers tipped with red, borne on slender	•	
stems <b>growi</b> ng form tufts of fern-like foliage. 1½ to <b>2 ft.</b> June-July.	2.00	12.00
STACHYS lanata. White woolly foliage; good plant for edging.	1.25	8.00

$\mathbf{p}_{\mathbf{c}}$	er Doz	Per 100
STOKESIA	•	
cyanea. A showy plant with a lengthy flowering per- iod, large blue flowers on somewhat straggling		
stems, 1½ ft. August-October.	1.50	10.00
" alba. A white form of the preceding.	1.50	10.00
STATICE latifolla. (Sea Lavender) Branching flower stems bearing countless small, blue purple flowers which retain their color long after being cut and dried. Very good for cutting. 1½ to 2 ft. August-September.	1.50	10.00
SWEET WILLIAM		
Newport Pink.	1.00	7.00
Scarlet Beauty.	1.00	7.00
White	1.00	7.00
THALICTRUM  adiantifolium. Clumps of maiden-hair like fo iage and long spikes of loosely arranged, small, yellowish white flowers, good for cutting. They can be used in place of Gypsophila paniculata before that is available. 2½ ft. June-July.	1.50	10.00
dipterocarpum. Long graceful sprays of rosy purple flowers, with conspicuous yellow anthers, are borne over handsome fern-like foliage. 3 5 ft. June-July.	2.00	12.00
THYMUS		
Serpyllum albus. A fragrant, creeping rock plant quickly growing into a dense carpet, which becomes covered with white flowers in June and		
July.	1.50	10.00
" coccineus. A scarlet flowered variety.	1.50	10.00
TRITOMA Pfitzeri. (Torch Lily) A very distinct and and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange scarlet, tubular flowers.	0.00	10.00
2 to 3 ft. September-October.	2.00	12.00
TUNICA saxifraga. Tufts of grass-like foliage and stems bearing small rosy pink flowers. 6 inches. July-September,	1.50	10.00
VALERIANA officinalis. A strong growing and free		
flowering plant bearing large heads of faint pink flowers. 3 to 4 ft. June-July.	1.50	10.00

	Per Doz	Per 100
VERONICA		
incana. Compact masses of silvery gray foliage and deep blue flowers. 1 ft. May-June.	d 1.50	10.00
repens. Carpet of evergreen foliage entirely covered in spring with very pa'e blue flowers. 3 inches		10.00
rupestris. A prostrate trailer forming a thick gree carpet which is almost hidden in May and Jun by myriads of clusters of deep blue flowers.	е	
inches.	1.50	10.00
spicata. Spikes of blue flowers. 2 ft. June-August	t. 1.50	10.00
subsessillis. Stout erect stems of intense blue flowers 2 to 3 ft. July-August.	s. 2.00	12.00
Teucrim. The stems form spreading masses, covere in May and June with dense racemes of bright blue flowers. 1 ft.		10.00
VIOLA pedata. (Bird's Foot Violet) Tufts of finely d vided leaves and lilac blue flowers. 6 inches		
April-May.	1.50	10.00
YUCCA filamentosa. (Adam's Needle) Large rosette of sword-like leaves and spikes of white flower 6 to 8 ft. July.		10.00



